

**Tabell III. Sammanfattning av immunsvar hos vuxna över 60 år efter vaccination med IDFlu 15 µg eller intramuskulärt kontrollvaccin.**

CPMP kriterier	ID Influensavaccin 15 µg			IM Influensavaccin 15 µg			
	A/New Caledonia /20/99(H1N1)	A/Wisconsin 67/2005(H3N2)	B/Malaysia /2506/2004	A/New Caledonia /20/99(H1N1)	A/Wisconsin 67/2005(H3N2)	B/Malaysia /2506/2004	
<b>N</b>	2 585	2 586	2 582	1 076	1 075	1 077	
<b>PRE-VACCINATION</b>							
<b>Geometrisk medeltiter (95 % CI)</b>	20,6 (19,7; 21,5)	36,3 (34,2; 38,6)	11,0 (10,7; 11,4)	21,6 (20,1; 23,2)	33,9 (30,8; 37,2)	11,5 (10,9; 12,1)	
<b>Seroprotektion (≥ 40)</b>							
<b>% (95 % CI)</b>	32,5 (30,7; 34,3)	48,9 (47,0; 50,9)	12,0 (10,7; 13,3)	33,8 (31,0; 36,7)	47,0 (44,0; 50,0)	12,4 (10,5; 14,6)	
<b>POST-VACCINATION</b>							
<b>N</b>	2 585	2 586	2 582	1 076	1 075	1 077	
<b>Geometrisk medeltiter (95 % CI)</b>	81,7 (78,0;85,6)	298 (282;315)	39,9 (38,3;41,6)	68,8 (63,8;74,2)	181 (167;197)	34,8 (32,6;37,2)	
<b>Seroprotektion (≥ 40)</b>							
<b>% (95 % CI)</b>	<b>&gt; 60 %</b>	<b>77,0</b> (75,3; 78,6)	<b>93,3</b> (92,3; 94,3)	55,7 (53,8; 57,6)	<b>71,1</b> (68,3; 73,8)	<b>87,9</b> (85,8; 89,8)	48,9 (45,9; 52,0)
<b>POST/PRE</b>							
<b>Titerkvot (95 % CI)</b>	<b>&gt; 2</b>	<b>3,97</b> (3,77; 4,18)	<b>8,19</b> (7,68; 8,74)	<b>3,61</b> (3,47; 3,76)	<b>3,19</b> (2,94; 3,45)	<b>5,35</b> (4,87; 5,88)	<b>3,04</b> (2,85; 3,24)
<b>Serokonversion eller signifikant ökning</b>							
<b>% (95 % CI)</b>	<b>&gt; 30 %</b>	<b>38,7</b> (36,8; 40,6)	<b>61,3</b> (59,3; 63,1)	<b>36,4</b> (34,5; 38,3)	30,0 (27,3; 32,9)	<b>46,9</b> (43,9; 49,9)	<b>30,7</b> (28,0; 33,6)